Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3237	compressive adj strain	US-PGPUB;	OR	ON	2004/12/01 16:21
			USPAT; EPO; JPO; DERWENT			
L2	55669	coefficient near2 thermal adj expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 16:22
L3.	72	1 same 2	US-PGPUB;	OR	ON	2004/12/01 16:25
			USPAT; EPO; JPO; DERWENT		autoria di	
L4	54	1 near3 glass	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 16:26
L5	8	2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 16:31
L6	2	4 and 428/428,447.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2004/12/01 16:33
L7	1	4 and 428/413.ccls,	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 16:38
L8	1994	428/426.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 16:39
L9	32	(resin or polymer) near5 1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 16:39
LÍO	0	8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 16:39
L11	4	1 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT	ÖR	ON	2004/12/01 17:18
L12	47	1 with (interfacial or intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:20

L13	1	1 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:20
L14	2	"6172457".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:24
L15	1	"4745330".PN.	USPAT; USOCR	OR	ON	2004/12/01 17:21
L16	1	"5369062".PN.	USPAT; USOCR	OR	ON	2004/12/01 17:21
L17	8	"6172457"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON -	2004/12/01 17:24
L 18	13	428/426.ccls. and ((adhesive or adhesion or glue or bonding or polymer or resin or plastic) near3 (coefficient near2 thermal adj expansion))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:27
L19	2955	glass near4 ((crack or impact or fracture) adj resist\$4 or stronger or strengthen)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:29
L20	287	2 and 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:30
L21	57	2 same 19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:35
L22	104	1 with glass	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:35
L23	21	2 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:35
L24	13	23 not 5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:38
L25	32	8 and 428/413.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:43

L26	5536	press adj mold\$3 with (heat\$3 or temperature or ".degrees")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:44
L27	0	1 same 26	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:44
L28	9	1 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:44
L29	2	(compressive adj strain) same (windshield or (window or vehicle or automobile) adj glass)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:46
L30	140	1 and "428"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:55
L3 1	40848	pre-stress\$3 or prestress\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:56
L32	665	31 near7 glass	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:56
L33	51	2 and 32	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:59
L34	27	(method or process) with 1 with glass	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 17:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2589	compressive adj strain	US-PGPUB; USPAT; EPO; JPO; DERWENT	ÖR	ON	2003/06/09 13:26
S3	10	(compressive adj strain) near4 (defined or definition)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 13:29
S4	47189	coefficient near2 thermal adj expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 09:32
S5	51	(compressive adj strain) same (coefficient near2 thermal adj expansion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 14:39
S6	2537	glass near4 ((crack or impact) adj resist\$4 or stronger or strengthen)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:22
S7	7	(compressive adj strain) same (glass near4 ((crack or impact) adj resist\$4 or stronger or strengthen))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:08
S8	3794	428/426.ccls. 428/428.ccls. 428/429.ccls. 428/415.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:09
S9	5	(compressive adj strain) and (428/426.ccls. 428/428.ccls. 428/429.ccls. 428/415.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:11
S10	1302	strain with (coefficient near2 thermal adj expansion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:11
S11	8	(428/426.ccls. 428/428.ccls. 428/429.ccls. 428/415.ccls.) and (strain with (coefficient near2 thermal adj expansion))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:15
S12	378866	glass same (plastic or polymer\$2 or resin\$3 or thermoset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:18
S13	2368	(coefficient near2 thermal adj expansion) same (glass same (plastic or polymer\$2 or resin\$3 or thermoset\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:18

S14	3	(compressive adj strain) and ((coefficient near2 thermal adj expansion) same (glass same (plastic or polymer\$2 or resin\$3 or thermoset\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:19
S15	24	(compressive adj strain) same (glass same (plastic or polymer\$2 or resin\$3 or thermoset\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 15:33
S16	319	strain and ((coefficient near2 thermal adj expansion) same (glass same (plastic or polymer\$2 or resin\$3 or thermoset\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON .	2003/06/09 15:33
S17	63	strain same ((coefficient near2 thermal adj expansion) same (glass same (plastic or polymer\$2 or resin\$3 or thermoset\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 16:00
S18	1385691	display	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 16:01
S19	7503	display with (lighter or lightweight or light adj weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 16:02
S20	2	(compressive adj strain) and (display with (lighter or lightweight or light adj weight))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/09 16:02
S21	6	"4745330".pn. "5086251".pn. "5369062".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:27
S22	1361	428/428.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:29
S23	1386429	display	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:29
S24	179	428/428.ccls. and display	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:29
S25	866653	"3".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:30

S26	40	428/428.ccls. and "3".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:56
S27	2842	428/413.ccls. 428/414.ccls. 428/415.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:57
S28	1740	428/426.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:57
\$29	0	"3".ab. and ((428/413.ccls. 428/414.ccls. 428/415.ccls.) and 428/426.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:57
S30	2589	compressive adj strain	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:57
S31	1	(428/413.ccls. 428/414.ccls. 428/415.ccls.) and (compressive adj strain)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 08:57
S32	58	(428/413.ccls. 428/414.ccls. 428/415.ccls.) and 428/426.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 09:32
S33	47230	coefficient near2 thermal adj expansion	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 09:33
S34	3230	(adhesive or adhesion or glue or bonding or polymer or resin or plastic) near3 (coefficient near2 thermal adj expansion)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 13:35
S35	12	428/426.ccls. and ((adhesive or adhesion or glue or bonding or polymer or resin or plastic) near3 (coefficient near2 thermal adj expansion))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 10:14
S36	886	"11".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 10:14
S37	78	(compressive adj strain) with glass	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 10:15

S38	23	"17".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 10:54
S39	336005	display adj device or panel adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:04
S40	188234	"19".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:05
S41	7	(compressive adj strain) and "19". ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:08
S42	21110	(display adj device or panel adj display) same (thin or thinner or lighter or lightweight or light adj weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:11
S43	3	(compressive adj strain) and ((display adj device or panel adj display) same (thin or thinner or lighter or lightweight or light adj weight))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:12
S44	131824	inorganic adj organic or organic adj inorganic	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:12
S45	2574	"inorganic-organic" or "organic-inorganic"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:14
S46	29	"19".ab. and ("inorganic-organic" or "organic-inorganic")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:14
S47	2537	glass near4 ((crack or impact) adj resist\$4 or stronger or strengthen)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 11:30
S48	28	((display adj device or panel adj display) same (thin or thinner or lighter or lightweight or light adj weight)) and (glass near4 ((crack or impact) adj resist\$4 or stronger or strengthen))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 12:13
S49	54	(coefficient near2 thermal adj expansion) same (glass near4 ((crack or impact) adj resist\$4 or stronger or strengthen))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 12:14

S50	59559	windshield or (window or vehicle or aoutomobile) adj glass	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 12:46
S51	2	(compressive adj strain) same (windshield or (window or vehicle or aoutomobile) adj glass)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 12:47
S52	15	(coefficient near2 thermal adj expansion) and ((compressive adj strain) with glass)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON ·	2003/06/10 13:29
\$53	1	(coefficient near2 thermal adj expansion) near5 (ethylene adj vinyl adj acetate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 13:30
S54	229	(adhesive or adhesion or glue or bonding or polymer or resin or plastic) with (interpos\$3 or intercalat\$3 or introduc\$3) with glass adj sheets	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 13:39
S55	1	(compressive adj strain) and ((adhesive or adhesion or glue or bonding or polymer or resin or plastic) with (interpos\$3 or intercalat\$3 or introduc\$3) with glass adj sheets)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON .	2003/06/10 13:39
S56	4	"4898772".pn. ep-638605-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/10 13:46